



we move people



Product overview



Standard product

PRM-Lift 2.0

Standard outfitting

- Ergonomic sling
- Spreader to contain passenger for lifting
- Off-board charger
- Wireless remote
- Battery pack
- Standard head protection sticker, Special Mobility logo
- 2x key tag



Description

The PRM-Lift 2.0 is the next-generation model, developed based on direct user feedback. Fully modular and electrically adjustable, it is specifically designed for safe and precise operation within the tight space between aircraft seats with several contingencies. With its electric remote control, the lift offers effortless, ergonomic handling for the operator, ensuring maximum control, minimal physical strain, and enhanced safety for both passenger and staff.



A general manufacturer's warranty of 2 years applies to our products. The warranty applies to the frame and paintwork and covers any production errors that are reasonably culpable to us.

parts subject to regular wear and tear and damages resulting directly from the regular use of our products or misuse and vandalism will not be covered under warranty.


batteries, wheels, and braking systems are excluded from the warranty at all times.

Customisation options

PRM-Lift 2.0

Options

- storage bag
- Charger
- Additional battery pack
- Additional sling
- Additional spreader
- Additional key tag(s)
- Custom design sticker




Functionalities



The PRM-Lift 2.0 provides a secure and effortless transfer of passengers from their personal wheelchair to the aircraft seat, including narrow window seats and premium business class pods. Its modular frame is manually adjustable in length, width, and wheelbase, ensuring seamless compatibility with a wide range of aircraft interiors. Operated via remote control and powered by a hot-swappable battery, the lift offers fully electric adjustment for height and positioning. Combined with an ergonomic sling and a built-in failsafe system, it delivers a dignified and safe experience for the passenger and a physically relieving process for the staff.

Technical information

PRM-Lift 2.0



When you hover over a technical specification, you will get a more detailed description here.

Technical specifications

- Weight 62kg
- Overall height 154,3 cm
- Min. length 41 cm, max. length 76,4 cm
- Min. width 107,5 cm, max. width 231,6 cm
- 200kg load capacity
- Puncture proof non-marking tires
- Ground clearance of the wheel base 5,6 cm
- Height for passenger lifting is 137 cm
- Electric lifting system w/ built-in failsafe
- Turning circle 107,5 cm, 360°
- Swappable rechargeable electric DC-24V 4Ah Lithium-ion battery system
- Comes with an off-board charger and 2 swappable batteries to eliminate downtime

Order process

PRM-Lift 2.0

1. Request an open quote

Request a personalized and obligation-free quote for any products you're interested in.

Fill out [our quick form](#) to get started!



2. Plan a meeting

Use Teams to plan a virtual meeting with our professional sales department.

Schedule your meeting [here](#) and we'll be ready to assist you.



We're here to make every step of your journey with us enjoyable and hassle-free.
If you have any questions, feel free to reach out – we're always happy to help!





Special Mobility BV

Nijverheidsstraat 12a
7041 GE 's-Heerenberg
The Netherlands

Contact us at:



+31 (0)314 - 66 72 10



info@specialmobility.eu



www.specialmobility.eu

Disclaimer

All prices mentioned in this offer are common sales prices and ex-works. We can make a customized offer for larger quantities. Please contact us to explore the possibilities. Other terms to be agreed.